

DATE: Friday, February 07, 2003 Printable Copy Create Case

¥

Set Name Ouery side by side		Hit Count Set Name result set	
DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR			
<u>L33</u>	L3 and ((certif\$ or licens\$) with private with public\$)	1	<u>L33</u>
<u>L32</u>	L3 and ((certif\$ or licens\$) with (public\$ adj key))	6	<u>L32</u>
<u>L31</u>	L3 and ((certif\$ or licens\$) with public\$)	6	<u>L31</u>
<u>L30</u>	L3 and (trust\$ same (state or status))	1	<u>L30</u>
<u>L29</u>	L28 and (licens\$ with server)	3	<u>L29</u>
<u>L28</u>	L3 and (licens\$ with stor\$)	3	<u>L28</u>
<u>L27</u>	L26 and (decrypt\$ with content)	1	<u>L27</u>
<u>L26</u>	L3 and (licens\$ with evaluat\$)	2	<u>L26</u>
<u>L25</u>	L24 and (licens\$ with evaluat\$)	1	<u>1.25</u>
<u>L24</u>	L3 and (decrypt\$ with content with licens\$)	2	<u>L24</u>
<u>L23</u>	L3 and ((decrypt\$ with content) same evaluat\$)	0	<u>L23</u>
<u>L22</u>	L3 and (decrypt\$ with content with evaluat\$)	0	<u>L22</u>
<u>L21</u>	L3 and (valid\$ with licens\$ with decrypt\$)	1	<u>L21</u>
<u>L20</u>	L3 and (valid\$ with licens\$ with select\$ with decrypt\$)	0	<u>L20</u>
<u>L19</u>	L3 and ((black\$ adj box) or "black-box")	1	<u>L19</u>
<u>L18</u>	L3 and (licens\$ with (evaluat\$ or determin\$ or review\$ or check\$) with (ID or identif\$))	4	<u>L18</u>
<u>L17</u>	L12 and l13	1	<u>L17</u>
<u>L16</u>	L3 and ((first with key\$) same (second with key\$))	3	<u>L16</u>
<u>L15</u>	L3 and ((first with key\$) and (second with key\$))	3	<u>L15</u>
<u>L14</u>	L3 and ((licens\$ with (evaluat\$ or determin\$ or review\$ or check\$)) same (encrypt\$ or decrypt\$ or crypto\$))	1	<u>L14</u>
<u>L13</u>	L3 and (server\$ same (valid\$ with licens\$))	1	<u>L13</u>
<u>L12</u>	L3 and (server\$ with licens\$ with (info\$ or data))	2	<u>L12</u>
<u>L11</u>	L3 and (valid\$ with licens\$)	3	<u>L11</u>
<u>L10</u>	L3 and ((protect\$ or secure\$) same licens\$)	5	<u>L10</u>
<u>L9</u>	L3 and (protect\$ same licens\$)	5	<u>L9</u>
<u>L8</u>	L3 and (trust\$ same licens\$)	0	<u>L8</u>
<u>L7</u>	L3 and (trust\$ same (licens\$ with (evaluat\$ or determin\$ or review\$ or check\$)))	0	<u>L7</u>
<u>L6</u>	L4 and ((state or status or condition\$) with licens\$)	1	<u>L6</u>
<u>L5</u>	L4 and ((state or status) with licens\$)	0	<u>L5</u>
<u>L4</u>	L3 and (licens\$ with (evaluat\$ or determin\$ or review\$ or check\$))	5	<u>1.4</u>
<u>L3</u>	L2 or 11	6	<u>L3</u>
<u>L2</u>	6112181.pn. or 6073124.pn.	2	<u>L2</u>
<u>L1</u>	5892900.pn. or 5629980.pn. or 6006332.pn. or 5715403.pn.	4	<u>L1</u>

ţ

END OF SEARCH HISTORY